

INDEX

Fishery Bulletin, Vol. 69, Nos. 1-4, 1971

- Abnormalities, developmental
of laboratory-reared lined sole 537
- "Abundance and distribution of young Atlantic menhaden, *Brevoortia tyrannus*, in the White Oak River estuary, North Carolina," by E. Peter H. Wilkens and Robert M. Lewis 699
- Achirus lineatus*—see Lined sole
- "Additional data on the spawning of the hake," by John S. MacGregor 581
- "(An) adult bluefin tuna, *Thunnus thynnus*, from a Florida west coast urban waterway," by Robert W. Topp and Frank H. Hoff 251
- AHLSTROM, ELBERT H., "Kinds and abundance of fish larvae in the eastern tropical Pacific, based on collections made on EASTROPAC I" 3
- Alaminos*—see Vessels
- Alaska
Grace Creek 587
Kvichak River 531
Lake Grace 587
Naknek-Kvichak system 122
Nushagak Bay 748
- Albacore
Atlantic
age and growth 846
Bay of Biscay surface fishery 846
longline fishery 847
mortality 849
population dynamics 845
potential yield 850
Pacific, juveniles in South
apparent abundance 824
distribution 824
length composition 823
migration 823
time of spawning 825
- Amblyops abbreviata*—see Mysids
- AMBROSE, MARY E.—see DUBROW et al.
- Ammonium
concentrations, eastern tropical Pacific 87
- Anchialina typica*—see Mysids
- ANDERSON, WILLIAM W., and MILTON J. LINDNER, "Contributions to the biology of the royal red shrimp, *Hymenopenaeus robustus* Smith" 313
- Apogonidae—see Fish larvae
- Arabian Sea, sharks 615
- Argentinidae—see Fish larvae
- Argo—see Vessels
- Argopecten gibbus*—see Calico scallop
- "Artificial ripening of maatjes-cured herring with the aid of proteolytic enzyme preparations," by T. M. Ritskes 647
- Astronesthidae—see Fish larvae
- Atlantic coast
mysids from U.S. 717
- Atlantic menhaden
purse-seine fishery, 1940-68
annual catch 765
description 768
effort 768
history 769
variation in abundance 777
young, effect of salinity, temperature, tide, turbidity, and illumination on abundance and distribution in White Oak River estuary, North Carolina 783
- Auxis* sp.—see Frigate mackerel
- BAILEY, JACK E., and DALE R. EVANS, "The low-temperature threshold for pink salmon eggs in relation to a proposed hydroelectric installation" 587
- BAKKALA, RICHARD G., "Occurrence of the barracudina, *Paralepis atlantica* Krøyer, in the central North Pacific Ocean" 881
- Bairdiella icistia*—Gulf croaker
- BALSIGER, JAMES W.—see ROTHSCILD and BALSIGER
- BARNETT, HAROLD J., RICHARD W. NELSON, PATRICK J. HUNTER, STEVEN BAUER, and HERMAN GRONINGER, "Studies on the use of carbon dioxide dissolved in refrigerated brine for the preservation of whole fish" 433
- Barracudina
occurrence, central North Pacific 881
- Bathylagidae—see Fish larvae

| | | | |
|--|-----|---|----------|
| <i>Bathymysis reniculata</i> —see Mysids | | Calico scallop | |
| BAUER, STEVEN—see BARNETT et al. | | abundance | 403 |
| BEARDSLEY, GRANT L., "Contribution to the population dynamics of Atlantic albacore with comments on potential yield" | 845 | age and growth | 401 |
| BEERS, JOHN R., MERRITT R. STEVENSON, RICHARD W. EPPLEY, and ELAINE R. BROOKS, "Plankton populations and upwelling off the coast of Peru, June 1969" | 859 | distribution | 403 |
| Bigeye tuna | | mortality | 401 |
| larvae, northwestern Gulf of Guinea and off Sierra Leone | 562 | off eastern Florida, 1967-68 | 399 |
| | | spawning | 400 |
| | | yield | 404 |
| Billfish | | California | |
| albacore in stomachs of, South Pacific | 821 | cleaning symbiosis among inshore fishes | 491 |
| skipjack tuna in stomachs of, Pacific | 545 | Monterey Bay | 799 |
| Bluefin tuna | | plankton variability off southern | 681 |
| adult from Florida west coast urban waterway | 251 | Salton Sea fishery for Gulf croaker | 158 |
| <i>Boreomysis tridens</i> —see Mysids | | whales off Point Loma | 525 |
| Bothidae—see Fish larvae | | California Current system | |
| Bottlenosed dolphin | | copepods as predators on fish larvae | 655 |
| from St. Vincent Island | 305 | DDT residues | 443, 627 |
| <i>Bowmaniella portoricensis</i> —see Mysids | | nannoplankton and netplankton | 799 |
| <i>Brachyistius frenatus</i> —see Kelp perch | | California, southern | |
| Bregmacerotidae—See Fish larvae | | variability of near-surface zooplankton, as shown by towed-pump sampling | 681 |
| <i>Brevoortia tyrannus</i> —see Atlantic menhaden | | <i>Cancer antennarius</i> —see Crabs | |
| Brine, refrigerated | | <i>C. anthonyi</i> —see Crabs | |
| carbon dioxide dissolved in, for preservation of whole fish | 433 | Carangidae—see Fish larvae | |
| BROOKS, ELAINE R.—see BEERS et al. | | Central America | |
| BROWN, NORMAN L.—see DUBROW et al. | | shrimps from | 635 |
| Brown shrimp | | "Cetaceans from the Lesser Antillean Island of St. Vincent," by David K. Caldwell, Melba C. Caldwell, Warren F. Rathjen, and John R. Sullivan | 303 |
| early developmental stages | 223 | Cetaceans | |
| laboratory-reared | 223 | Alaska | 531 |
| BULLIS, HARVEY R., JR.—see ROE et al. | | California | 525 |
| BURNS, BRUCE R.—see WIGLEY and BURNS | | St. Vincent Island, Lesser Antilles | |
| CALDWELL, DAVID K., MELBA C. CALDWELL, WARREN F. RATHJEN, and JOHN R. SULLIVAN, "Cetaceans from the Lesser Antillean island of St. Vincent" | 303 | <i>Feresa attenuata</i> | 307 |
| CALDWELL, MELBA C.—see CALDWELL et al. | | <i>Globicephala macrorhyncha</i> | 308 |
| "Calico scallop distribution, abundance, and yield off eastern Florida, 1967-68," by Richard B. Roe, Robert Cummins, Jr., and Harvey R. Bullis, Jr. | 399 | <i>Grampus griseus</i> | 305 |
| | | <i>Megaptera novaeangliae</i> | 304 |
| | | <i>Orcinus orca</i> | 309 |
| | | <i>Physeter catodon</i> | 310 |
| | | <i>Pseudorca crassidens</i> | 308 |
| | | <i>Stenella</i> | 305 |
| | | <i>Steno bredanensis</i> | 304 |
| | | <i>Tursiops truncatus</i> | 305 |
| | | unrecorded but expected species | 310 |
| | | <i>Ziphius cavirostris</i> | 310 |
| | | Chaetognaths | |
| | | off southern California, variability | 681 |
| | | "Changes in catch and effort in the Atlantic menhaden purse-seine fishery 1940-68," by William R. Nicholson | 765 |

| | | | |
|---|-----|--|-----|
| "Characteristics of sea-surface temperature anomalies," by L. E. Eber | 345 | COOK, HARRY L., and M. ALICE MURPHY, "Early developmental stages of the brown shrimp, <i>Penaeus aztecus</i> Ives, reared in the laboratory" | 223 |
| Chauliodontidae—see Fish larvae | | Copepods | |
| "Chemical and nutritional characteristics of fish protein concentrate processed from heated whole red hake, <i>Urophycis chuss</i> ," by David L. Dubrow and Bruce R. Stillings | 141 | <i>Labidocera</i> , predators on fish larvae | 655 |
| Chesapeake Bay | | predation by marine, on fish larvae | 655 |
| menhaden fishery | 765 | southern California, variability | 681 |
| Chlorophyll | | CORLISS, JANE, and LEE TRENT, "Comparison of phytoplankton production between natural and altered areas in West Bay, Texas" ... | 829 |
| concentrations in eastern tropical Pacific | 87 | <i>Coryphaena equiselis</i> , <i>C. equisetis</i> —see Dolphin (fish) | |
| Chlorophthalmidae—see Fish larvae | | <i>C. hippurus</i> —see Dolphin (fish) | |
| Christmas Island, sea-surface temperatures | 181 | Coryphaenidae—see Fish larvae | |
| Chinook salmon | | COX, JAMES L., "DDT residues in seawater and particulate matter in the California Current system" | 443 |
| thermal tolerance of juveniles in relation to supersaturation of nitrogen gas | 833 | ———, "Uptake, assimilation, and loss of DDT residues by <i>Euphausia pacifica</i> , a euphausiid shrimp" | 627 |
| Chum salmon | | Crabs | |
| predation on juveniles by marine isopod | 700 | male, sex pheromone activity of molting hormone, crustecdysone, on <i>Pachygrapsus crassipes</i> , <i>Cancer antennarius</i> , and <i>C. anthonyi</i> | 337 |
| preservation | 433 | CREAR, DAVID, and IRWIN HAYDOCK, "Laboratory rearing of the desert pupfish, <i>Cyprinodon macularius</i> " | 151 |
| "Cleaning symbiosis among California inshore fishes," by Edmund S. Hobson | 491 | Crustacea—see Copepods; Crabs; Lobster; Mysids; Shrimp | |
| Cleaning symbiosis | | internal defenses | 455 |
| among California inshore fishes | 491 | Crustecdysone | |
| <i>Clupea harengus pallasii</i> —see Pacific herring | | sex pheromone activity, on male crabs | 337 |
| Clupeidae—see Fish larvae | | CUMMINS, ROBERT, JR.—see ROE et al. | |
| CLUTTER, ROBERT I., and GAIL H. THEILACKER, "Ecological efficiency of a pelagic mysid shrimp; estimates from growth, energy budget, and mortality studies" | 93 | CUMMINGS, WILLIAM C., and PAUL O. THOMPSON, "Gray whales, <i>Eschrichtius robustus</i> , avoid the underwater sounds of killer whales, <i>Orcinus orca</i> " | 525 |
| <i>John N. Cobb</i> —see Vessels | | Cynoglossidae—see Fish larvae | |
| Coho salmon | | <i>Cyprinodon macularius</i> —see Desert pupfish | |
| predation on juveniles by marine isopod | 699 | DAWLEY, EARL M.—see EBEL et al. | |
| thermal tolerance of juveniles | 833 | "DDT residues in seawater and particulate matter in the California Current system," by James L. Cox | 443 |
| COMPAGNO, LEONARD J. V., and STEWART SPRINGER, " <i>Iago</i> , a new genus of carcharhinid sharks, with a redescription of <i>I. omanensis</i> " | 615 | DDT residues | |
| "Comparison of phytoplankton production between natural and altered areas in West Bay, Texas," by Jane Corliss and Lee Trent | 829 | in seawater and particulate matter in the California Current system | 443 |
| "Contribution to the population dynamics of Atlantic albacore with comments on potential yield," by Grant L. Beardsley | 845 | | |
| "Contributions to the biology of the royal red shrimp, <i>Hymenopenaeus robustus</i> Smith, by William W. Anderson and Milton J. Lindner | 313 | | |

| | | | |
|---|-----|--|-----|
| DDT residues—cont. | | Eastern tropical Pacific | |
| uptake, assimilation, and loss by euphausiid | | estimating phytoplankton production | 87 |
| in California Current system | 627 | fish larvae in | 3 |
| Delaware | | yellowfin tuna fishery | 569 |
| menhaden fishery | 765 | EASTROPAC | |
| <i>Delphinapterus leucas</i> —see White whale | | fish larvae from Cruise 1 | 3 |
| Desert pupfish | | EBEL, WESLEY J., EARL M. DAWLEY, and | |
| laboratory rearing | 151 | BRUCE H. MONK, "Thermal tolerance of ju- | |
| potential for research | 151 | venile Pacific salmon and steelhead trout in | |
| spawning methods in laboratory | 154 | relation to supersaturation of nitrogen gas" | 833 |
| "Developmental abnormalities of the flatfish | | EBER, L. E., "Characteristics of sea-surface | |
| <i>Achirus lineatus</i> reared in the laboratory," by | | temperature anomalies" | 345 |
| Edward D. Houde | 537 | "Ecological efficiency of a pelagic mysid shrimp; | |
| <i>Discoverer</i> —see Vessels | | estimates from growth, energy budget, and mor- | |
| Diseases | | tality studies," by Robert I. Clutter and Gail H. | |
| of Crustacea | 458 | Theilacker | 93 |
| "Distribution, apparent abundance, and length | | Ectoparasites | |
| composition of juvenile albacore, <i>Thunnus ala-</i> | | of California inshore fishes | 505 |
| lunga, in the South Pacific Ocean," by Howard | | Eel leptocephali—see Fish larvae | |
| O. Yoshida | 821 | "Effect of dietary fish oil on the fatty acid com- | |
| "Distribution and biology of mysids (Crusta- | | position and palatability of pig tissues," by | |
| cea, Mysidacea) from the Atlantic coast of the | | Robert R. Kifer, Preston Smith, Jr., and Edgar | |
| United States in the NMFS Woods Hole collec- | | P. Young | 281 |
| tion," by Roland L. Wigley and Bruce R. Burns . | 717 | "Effect of ice storage on the chemical and nutri- | |
| "Distribution of tuna larvae (Pisces, Scombri- | | tive properties of solvent-extracted whole fish— | |
| dae) in the northwestern Gulf of Guinea and off | | red hake, <i>Urophycis chuss</i> ," by David L. Du- | |
| Sierra Leone," by William J. Richards and | | brow, Norman L. Brown, E. R. Pariser, Harry | |
| David C. Simmons | 555 | Miller, Jr., V. D. Sidwell, and Mary E. Ambrose . | 145 |
| Divergence | | "Effects of delayed initial feeding on larvae of | |
| off coast of Peru | 859 | the grunion, <i>Leuresthes tenuis</i> (Ayres)," by | |
| Dolphin (fish) | | Robert C. May | 411 |
| gill raker apparatus and food selectivity | 361 | "Egg loss during incubation from offshore | |
| two species from tropical mid-Atlantic | 877 | northern lobsters (Decapoda: Homaridae)," | |
| DUBROW, DAVID L., NORMAN L. BROWN, | | by Herbert C. Perkins | 451 |
| E. L. PARISER, HARRY MILLER, JR., V. D. | | EMILIANI, DENNIS A., "Equipment for hold- | |
| SIDWELL, and MARY E. AMBROSE, "Effect | | ing and releasing penaeid shrimp during mark- | |
| of ice storage on the chemical and nutritive | | ing experiments" | 247 |
| properties of solvent-extracted whole fish—red | | Engraulidae—see Fish larvae | |
| hake, <i>Urophycis chuss</i> " | 145 | <i>Engraulis mordax</i> —see Northern anchovy | |
| ———, and BRUCE R. STILLINGS, | | Enzyme preparations | |
| "Chemical and nutritional characteristics of fish | | use of proteolytic in artificial ripening of | |
| protein concentrate processed from heated | | maatjes-cured herring | 647 |
| whole red hake, <i>Urophycis chuss</i> " | 141 | EPPLEY, RICHARD W.—see BEERS et al. | |
| "Early developmental stages of the brown | | "Equipment for holding and releasing penaeid | |
| shrimp, <i>Penaeus aztecus</i> Ives, reared in the lab- | | shrimp during marking experiments," by Den- | |
| oratory," by Harry L. Cook and M. Alice Murphy | 223 | nis A. Emiliani | 247 |
| "Early life history of skipjack tuna, <i>Katsuwon-</i> | | <i>Erythrops erythrophthalma</i> —see Mysids | |
| <i>us pelamis</i> , in the Pacific Ocean," by Howard | | | |
| O. Yoshida | 545 | | |

| | |
|--|-----|
| "Escapement levels and productivity of the Nu-shagak sockeye salmon run from 1908 to 1966," by Ole A. Mathisen | 747 |
| <i>Eschrichtius robustus</i> —see Gray whale | |
| "Estimating phytoplankton production from ammonium and chlorophyll concentrations in nutrient-poor water of the eastern tropical Pacific Ocean," by William H. Thomas and Robert W. Owen, Jr. | 87 |
| <i>Eucopia grimaldii</i> —see Mysids | |
| <i>Eugaleus omanensis</i> Norman new genus, <i>Iago</i> , proposed | 615 |
| <i>Euphausia pacifica</i> —see Euphausiids | |
| Euphausiids | |
| growth rates | 81 |
| off Oregon | 79 |
| size structure | 80 |
| uptake, assimilation, and loss of DDT residues by <i>Euphausia pacifica</i> | 627 |
| variability off southern California | 681 |
| EVANS, DALE R.—see BAILEY and EVANS | |
| Evermannellidae—see Fish larvae | |
| Exocoetidae—see Fish larvae | |
| False killer whale from St. Vincent Island | 308 |
| FARFANTE—see PEREZ FARFANTE, ISABEL | |
| <i>Feresa attenuata</i> —see Pygmy killer whale | |
| FISH, JAMES F., and JOHN S. VANIA, "Killer whale, <i>Orcinus orca</i> , sounds repel white whales, <i>Delphinapterus leucas</i> " | 531 |
| Fish larvae | |
| Atlantic menhaden | 783 |
| eastern tropical Pacific | |
| Apogonidae | 37 |
| Argentinidae | 13 |
| Astronesthidae | 20 |
| Bathylagidae | 13 |
| Bothidae | 40 |
| Bregmacerotidae | 34 |
| Carangidae | 38 |
| Chauliodontidae | 20 |
| Chlorophthalmidae | 21 |
| Clupeidae | 12 |
| Coryphaenidae | 38 |
| Cynoglossidae | 42 |
| eel leptocephali | 33 |
| Engraulidae | 13 |
| Evermannellidae | 32 |
| Exocoetidae | 35 |

| | |
|--|-----|
| Gempylidae | 35 |
| Gonostomatidae | 13 |
| Idiacanthidae | 21 |
| Istiophoridae | 37 |
| Malacoteidae | 21 |
| Melamphidae | 34 |
| Melanostomiidae | 21 |
| Myctophidae | 22 |
| Nomeidae | 38 |
| Paralepididae | 31 |
| Pleuronectiformes | 40 |
| Scombridae | 36 |
| Scopelarchidae | 32 |
| Scopelosauridae | 33 |
| Sternoptychidae | 20 |
| Stomiidae | 21 |
| Synodontidae | 21 |
| Tetragonuridae | 40 |
| Trichiuridae | 35 |
| grunion | 411 |
| Gulf of Guinea and off Sierra Leone | |
| bigeye tuna | 562 |
| frigate mackerel | 564 |
| little tunny | 564 |
| skipjack tuna | 564 |
| yellowfin tuna | 560 |
| laboratory studies of predation by marine copepods on | 655 |
| Fish oil | |
| effect on fatty acid composition and palatability of pig tissues | 281 |
| masking undesirable flavors in | 215 |
| Fish protein concentrate (FPC) | |
| chemical and nutritional qualities of, processed from red hake | 141 |
| protein autolysis rates at various pH's and temperatures in hake and Pacific herring and effect on yield in preparation of | 241 |
| Fish target strength | |
| review of measurements | 703 |
| Flavors | |
| undesirable, masking in fish oil | 215 |
| Florida | |
| bluefin tuna from waterway | 251 |
| Boca Ciega Bay, turtle grass | 273 |
| calico scallops off eastern | 399 |
| menhaden fishery | 765 |
| royal red shrimp off east | 313 |
| Food selectivity | |
| and gill rakers among mackerels, tunas, and dolphins | 361 |
| FOX, WILLIAM W., JR., "Random variability and parameter estimation from the generalized production model" | 569 |

| | | | |
|--|-----|---|-----|
| Free radicals | | Gulf croaker | |
| nature of, in freeze-dried fishery products and | | gonad maturation | 157 |
| other lipid-protein systems | 371 | hormone-induced spawning | 157 |
| Freeze-dried fishery products | | Salton Sea fishery for | 158 |
| nature of free radicals in, and other lipid- | | Gulf of Guinea | |
| protein systems | 371 | tuna larvae in | 555 |
| FRIEDL, WILLIAM A., "The relative sam- | | Guppy | |
| pling performance of 6- and 10-foot Isaacs-Kidd | | respiratory, behavioral, and endocrine re- | |
| midwater trawls" | 427 | sponses to a restricted environment | 879 |
| Frigate mackerel | | Hake—see Pacific hake; Red hake | |
| larvae in northwestern Gulf of Guinea and | | HALL, JOHN R.—see KELLY et al. | |
| off Sierra Leone | 564 | "Harmonic functions for sea-surface tempera- | |
| FUSS, CHARLES M., JR.—see KELLY et al. | | tures and salinities, Koko Head, Oahu, 1956-69, | |
| Gaffkaemia | | and sea-surface temperatures, Christmas Island, | |
| internal defense mechanisms | | 1954-59," by Gunter R. Seckel and Marian Y. Y. | |
| involved in, of lobsters | 471 | Yong | 181 |
| Gempylidae—see Fish larvae | | Harmonic functions | |
| Genus, new | | for sea-surface temperatures and salinities, | |
| <i>Iago</i> (carcharhinid shark) | 615 | Koko Head, Oahu; temperature, Christmas | |
| Geronimo—see Vessels | | Island | 181 |
| "Gill raker apparatus and food selectivity | | Hawaii | |
| among mackerels, tunas, and dolphins," by John | | early life history of skipjack tuna | 545 |
| J. Magnuson and Jean G. Heitz | 361 | Koko Head, Oahu | 181 |
| Gill rakers | | HAYDOCK, IRWIN, "Gonad maturation and | |
| and food selectivity among mackerels, tunas, | | hormone-induced spawning of the Gulf croaker, | |
| and dolphins | 361 | <i>Bairdiella icistia</i> " | 157 |
| <i>Globicephala macrorhyncha</i> —see Short-finned | | ———, — see CREAR and HAYDOCK | |
| pilot whale or blackfish | | HEITZ, JEAN G.—see MAGNUSON and HEITZ | |
| "Gonad maturation and hormone-induced | | Herring—see Pacific herring | |
| spawning of the Gulf croaker, <i>Bairdiella icis-</i> | | Herring, maatjes-cured | |
| <i>tia</i> ," by Irwin Haydock | 157 | artificial ripening with aid of proteolytic en- | |
| Gonostomatidae—see Fish larvae | | zyme preparations | 647 |
| Goose-beaked whale or Cuvier's beaked whale | | <i>Heteromysis formosa</i> —see Mysids | |
| from St. Vincent Island | 310 | HOBSON, EDMUND S., "Cleaning symbiosis | |
| Grace Creek, Alaska | 587 | among California inshore fishes" | 491 |
| <i>Grampus griseus</i> —see Risso's dolphin | | HOFF, FRANK H.—see TOPP and HOFF | |
| Gray grampus—see Risso's dolphin | | <i>Homarus americanus</i> —see Northern lobster | |
| "Gray whales, <i>Eschrichtius robustus</i> , avoid the | | Hormone, molting—see Crustecdysone | |
| underwater sounds of killer whales, <i>Orcinus</i> | | HOUDE, EDWARD D., "Developmental abnor- | |
| <i>orca</i> ," by William C. Cummings and Paul O. | | malities of the flatfish <i>Achirus lineatus</i> reared | |
| Thompson | 525 | in the laboratory" | 537 |
| Gray whale | | Humpback whale | |
| avoid underwater sounds of killer whales | 525 | from St. Vincent Island | 304 |
| GRONINGER, HERMAN—see BARNETT et al. | | HUNTER, JOHN R., "Sustained speed of jack | |
| Grunion | | mackerel, <i>Trachurus symmetricus</i> " | 267 |
| effects of delayed initial feeding on larvae | 411 | | |

| | | | |
|---|-----|---|-----|
| ———, and JAMES R. ZWEIFEL, "Swimming speed, tail beat frequency, tail beat amplitude, and size in jack mackerel, <i>Trachurus</i> <i>symmetricus</i> , and other fishes" | 253 | swimming speed, sustained | 267 |
| ———, — see PRITCHARD et al. | | tail beat amplitude and size | 253 |
| HUNTER, PATRICK J.—see BARNETT et al. | | tail beat frequency and size | 253 |
| <i>Hymenopenaeus robustus</i> —see Royal red shrimp | | JELLINEK, GISELA, and MAURICE E. STANSBY, "Masking undesirable flavors in fish oils" | 215 |
| <i>Hypererythrops caribbaea</i> —see Mysids | | JONES, EVERET C., " <i>Isistius brasiliensis</i> , a squaloid shark, the probable cause of crater wounds on fishes and cetaceans" | 791 |
| "Iago, a new genus of carcharhinid sharks, with a redescription of <i>I. omanensis</i> ," by Leonard J. V. Compagno and Stewart Springer | 615 | David Starr Jordan—see Vessels | |
| Iago | | <i>Katsuwonus pelamis</i> —see Skipjack tuna | |
| generic description | 617 | George B. Kelez—see Vessels | |
| <i>I. omanensis</i> | | <i>Kelletia kelletii</i> (whelk) | |
| specific description | 619 | trophic interaction between, and sea star <i>Pisaster giganteus</i> | 669 |
| Ice storage | | KELLY, JOHN A., JR., CHARLES M. FUSS, JR., and JOHN R. HALL, "The transplanting and survival of turtle grass, <i>Thalassia testudin-</i> <i>um</i> , in Boca Ciega Bay, Florida" | 273 |
| effect on chemical and nutritive properties of solvent-extracted whole fish—red hake | 145 | Kelp perch | |
| Idiacanthidae—see Fish larvae | | cleaning activity | 513 |
| Illumination | | general ecology | 496 |
| effect on distribution of young Atlantic men- haden | 783 | "(A) key to the American Pacific shrimps of the genus <i>Trachypena</i> (Decapoda, Penaei- dae), with the description of a new species," by Isabel Pérez Farfante | 635 |
| "Induced spawning of the northern anchovy, <i>Engraulis mordax</i> Girard," by Roderick Leong .. | 357 | KIFER, ROBERT R., PRESTON SMITH, JR., and EDGAR P. YOUNG, "Effect of dietary fish oil on the fatty acid composition and palatability of pig tissues" | 281 |
| "In memoriam—Wilbert McLeod Chapman and Milner Baily Schaefer," by Philip M. Roedel | 1 | "Killer whale, <i>Orcinus orca</i> , sounds repel white whales, <i>Delphinapterus leucas</i> ," by James F. Fish and John S. Vania | 531 |
| Inshore fishes | | Killer whale | |
| cleaning symbiosis among California | 491 | from St. Vincent Island | 309 |
| ectoparasites on California | 505 | gray whales avoid underwater sounds of | 525 |
| "Internal defenses of Crustacea: a review," by Carl J. Sindermann | 455 | underwater sounds repel white whales | 531 |
| Internal defenses | | "Kinds and abundance of fish larvae in the east- ern tropical Pacific, based on collections made on EASTROPAC I," by Elbert H. Ahlstrom | 3 |
| mechanisms of, in Crustacea | 457 | KITTREDGE, JAMES S., MICHELLE TERRY, and FRANCIS T. TAKAHASHI, "Sex pheromone activity of the molting hormone, crustecdysone, on male crabs (<i>Pachygrapsus</i> <i>crassipes</i> , <i>Cancer antennarius</i> , and <i>C. anthonyi</i>)" .. | 337 |
| Isaacs-Kidd midwater trawl—see | | Koko Head, Oahu, Hawaii | 181 |
| Midwater trawl | | KOURY, BARBARA, JOHN SPINELLI, and DAVE WIEG, "Protein autolysis rates at var- | |
| " <i>Isistius brasiliensis</i> , a squaloid shark, the probable cause of crater wounds on fishes and cetaceans," by Everet C. Jones | 791 | | |
| Isopod, marine | | | |
| predation on juvenile Pacific salmon by spe- cies of | 699 | | |
| Istiophoridae—see Fish larvae | | | |
| Jack mackerel | | | |
| relation between exercise and biochemical changes in red and white muscle and liver ... | 379 | | |
| swimming speed and size | 253 | | |

| | | | |
|--|-----|--|-----|
| ious pH's and temperatures in hake, <i>Merluccius productus</i> , and Pacific herring, <i>Clupea harengus pallasi</i> , and their effect on yield of fish protein concentrate" | 241 | LOVE, RICHARD H., "Measurements of fish target strength: a review" | 703 |
| Kvichak River, Alaska whales in | 531 | "(The) low-temperature threshold for pink salmon eggs in relation to a proposed hydroelectric installation," by Jack E. Bailey and Dale R. Evans | 587 |
| <i>Labidocera</i> —see Copepods | | MacGREGOR, JOHN S., "Additional data on the spawning of the hake" | 581 |
| "Laboratory rearing of the desert pupfish, <i>Cyprinodon macularius</i> ," by David Crear and Irwin Haydock | 151 | Mackerel gill raker apparatus and food selectivity | 361 |
| "Laboratory studies on predation by marine copepods on fish larvae," by Kurt Lillelund and Reuben Lasker | 655 | Mackerel, jack—see Jack mackerel | |
| Lake Grace, Alaska | 587 | MAGNUSON, JOHN J., and JEAN G. HEITZ, "Gill raker apparatus and food selectivity among mackerels, tunas, and dolphins" | 361 |
| LARRANCE, JERRY D., "Primary production in the mid-Subarctic Pacific Region, 1966-68" ... | 595 | MAHNKEN, CONRAD V. W.—see NOVOTNY and MAHNKEN | |
| Larvae, fish—see Fish larvae | | Malacoteidae—see Fish larvae | |
| LASKER, REUBEN—see LILLELUND and LASKER | | MALONE, THOMAS C., "The relative importance of nannoplankton and netplankton as primary producers in the California Current system" | 799 |
| —————, — see PRITCHARD et al. | | "Masking undesirable flavors in fish oils," by Gisela Jellinek and Maurice E. Stansby | 215 |
| LEONG, RODERICK, "Induced spawning of the northern anchovy, <i>Engraulis mordax</i> Girard" | 357 | MATHISEN, OLE A., "Escapement levels and productivity of the Nushagak sockeye salmon run from 1908 to 1966" | 747 |
| Lesser Antilles St. Vincent Island | 303 | MAY, ROBERT C., "Effects of delayed initial feeding on larvae of the grunion, <i>Leuresthes tenuis</i> (Ayres)" | 411 |
| <i>Leuresthes tenuis</i> —see Grunion | | "Measurements of fish target strength: a review," by Richard H. Love | 703 |
| LEWIS, ROBERT M.—see WILKENS and LEWIS | | <i>Megaptera novaeangliae</i> —see Humpback whale | |
| LILLELUND, KURT, and REUBEN LASKER, "Laboratory studies on predation by marine copepods on fish larvae" | 655 | Melamphaidae—see Fish larvae | |
| Lined sole developmental abnormalities of laboratory-reared | 537 | Melanostomiidae—see Fish larvae | |
| LINDNER, MILTON J.—see ANDERSON and LINDNER | | Menhaden—see Atlantic menhaden | |
| "(A) linear-programming solution to salmon management," by Brian J. Rothschild and James W. Balsiger | 117 | Menhaden oil effect on pig tissues | 282 |
| Linear programming solution to salmon management | 117 | <i>Merluccius productus</i> —see Pacific hake | |
| Little tunny larvae in northwestern Gulf of Guinea and off Sierra Leone | 564 | <i>Metamysidopsis elongata</i> —see Mysids | |
| Lobster—see Northern lobster | | <i>Meterythrops robusta</i> —see Mysids | |
| Long-snouted or spinner dolphin from St. Vincent Island | 305 | Mid-Subarctic Pacific region primary productivity in | 595 |
| | | Midwater trawl Isaacs-Kidd, relative sampling performance of 6- and 10-foot | 427 |

| | | | |
|--|-----|--|-----|
| MILLER, HARRY, JR.—see DUBROW et al. | | products and other lipid-protein systems," by William T. Roubal | 371 |
| Mixing | | NELSON, RICHARD W.—see BARNETT et al. | |
| off coast of Peru | 859 | <i>Neomysis americana</i> —see Mysids | |
| MONK, BRUCE H.—see EBEL et al. | | Netplankton | |
| Monterey Bay, California | | compared with nannoplankton in California | |
| nannoplankton and netplankton in | 799 | Current system | 799 |
| MURPHY, M. ALICE—see COOK and MURPHY | | New Jersey | |
| <i>Murre II</i> —see Vessels | | menhaden fishery | 765 |
| Myctophidae—see Fish larvae | | New York | |
| <i>Mysidopsis bigelowi</i> —see Mysids | | menhaden fishery | 765 |
| <i>M. furca</i> —see Mysids | | NICHOLSON, WILLIAM R., "Changes in catch and effort in the Atlantic menhaden purse-seine fishery, 1940-68" | 765 |
| Mysids | | Nitrogen supersaturation | |
| Atlantic coast | | thermal tolerance of juvenile Pacific salmon and steelhead trout in relation to | 833 |
| <i>Amblyops abbreviata</i> | 728 | Nomeidae—see Fish larvae | |
| <i>Anchialina typica</i> | 722 | North Carolina | |
| <i>Bathymysis renoculata</i> | 729 | menhaden fishery | 765 |
| <i>Boreomysis tridens</i> | 720 | young menhaden | 783 |
| <i>Bowmaniella portoricensis</i> | 721 | North Pacific Ocean | |
| <i>Erythrope erythrophthalma</i> | 723 | Sea-surface temperature anomalies in | 345 |
| <i>Eucopia grimaldii</i> | 720 | Northern anchovy | |
| <i>Hypererythrope caribbaea</i> | 726 | induced spawning of | 357 |
| <i>Heteromysis formosa</i> | 740 | predation on larvae by copepods | 656 |
| <i>Meterothrops robusta</i> | 725 | Northern lobster | |
| <i>Mysidopsis bigelowi</i> | 730 | egg loss during incubation from offshore | 451 |
| <i>Mysidopsis furca</i> | 732 | NOVOTNY, ANTHONY J., and CONRAD V. W. MAHNKEN, "Predation on juvenile Pacific salmon by a marine isopod <i>Rocinela bellicepe</i> pugettensis (Crustacea, Isopoda) | 699 |
| <i>Mysis mixta</i> | 733 | "Observations on two species of dolphins from the tropical mid-Atlantic," by Thomas Potthoff | 877 |
| <i>Mysis stenolepis</i> | 735 | "Occurrence of the barracudina, <i>Paralepis atlantica</i> Krøyer, in the central North Pacific Ocean," by Richard G. Bakkala | 881 |
| <i>Neomysis americana</i> | 737 | O'CONNELL, CHARLES P., "Variability of near-surface zooplankton off southern California, as shown by towed-pump sampling" | 681 |
| <i>Praunus flexuosus</i> | 735 | <i>Oncorhynchus gorbuscha</i> —see Pink salmon | |
| <i>Promysis atlantica</i> | 732 | <i>O. keta</i> —see Chum salmon | |
| <i>Pseudomma affine</i> | 727 | <i>O. kisutch</i> —see Coho salmon | |
| <i>Pseudomma</i> sp. | 728 | <i>O. nerka</i> —see Red salmon, Sockeye salmon | |
| <i>Metamysidopsis elongata</i> | | <i>Orcinus orca</i> —see Killer whale | |
| body composition | 104 | | |
| culture methods | 94 | | |
| ecological efficiency | 93 | | |
| energy content | 107 | | |
| fecundity | 100 | | |
| growth and maturation | 97 | | |
| molting | 95 | | |
| oogenesis and incubation | 94 | | |
| reproduction | 100 | | |
| respiration | 103 | | |
| <i>Mysis mixta</i> —see Mysids | | | |
| <i>M. stenolepis</i> —see Mysids | | | |
| Naknek-Kvichak system | 122 | | |
| Nannoplankton | | | |
| compared with netplankton in California Current system | 799 | | |
| "Nature of free radicals in freeze-dried fishery | | | |

| | | | |
|--|-----|--|-----|
| Oregon euphausiids | 79 | <i>Pisaster giganteus</i> (sea star) trophic interaction between, and gastropod <i>Kelletia kelletii</i> | 669 |
| <i>Oxyjulis californica</i> —see Señorita | | Plankton—see Nannoplankton; Netplankton; Phytoplankton; Zooplankton | |
| OWEN, ROBERT W., JR.—see THOMAS and OWEN | | "Plankton populations and upwelling off the coast of Peru, June 1969," by John R. Beers, Merritt R. Stevenson, Richard W. Eppley, and Elaine R. Brooks | 859 |
| <i>Pachygrapsus crassipes</i> —see Crabs | | Pleuronectiformes—see Fish larvae | |
| Pacific hake fecundity | 581 | <i>Poecilia reticulata</i> —see Guppy | |
| protein autolysis rates at various pH's and temperatures and effect on yield of fish pro- tein concentrate | 241 | POTTHOFF, THOMAS, "Observations on two species of dolphins from the tropical mid-At- lantic" | 877 |
| size at first maturity | 583 | <i>Praunus flexuosus</i> —see Mysids | |
| spawning | 581 | "Predation on juvenile Pacific salmon by a marine isopod <i>Rocinela belliceus pugettensis</i> (Crustacea, Isopoda)," by Anthony J. Novotny and Conrad V. M. Mahnken | 699 |
| Pacific herring protein autolysis rates at various pH's and temperatures and effect on yield of fish pro- tein concentrate | 241 | "Primary production in the mid-Subarctic Pa- cific Region, 1966-68", by Jerry D. Larrance | 595 |
| Paragon—see Vessels | | Primary production in mid-Subarctic Pacific Region | 595 |
| Paralepididae—see Fish larvae | | PRITCHARD, AUSTIN W., JOHN R. HUNTER, and REUBEN LASKER, "The relation between exercise and biochemical changes in red and white muscle and liver in the jack mackerel, <i>Trachurus symmetricus</i> " | 379 |
| <i>Paralepis atlantica</i> —see Barracudina | | <i>Promysis atlantica</i> —see Mysids | |
| Parameter estimation random variability and, for generalized pro- duction model | 569 | "Protein autolysis rates at various pH's and temperatures in hake, <i>Merluccius productus</i> , and Pacific herring, <i>Clupea harengus pallasii</i> , and their effect on yield in the preparation of fish protein concentrate," by Barbara Koury, John Spinelli, and Dave Wieg | 241 |
| PARISER, E. R.—See DUBROW et al. | | <i>Pseudomma affine</i> —see Mysids | |
| PEARCY, WILLIAM G.—see SMILES and PEARCY | | <i>Pseudorca crassidens</i> —see False killer whale | |
| <i>Penaeus aztecus</i> —see Brown shrimp | | Pygmy killer whale from St. Vincent Island | 307 |
| PEREZ FARFANTE, ISABEL, "A key to the American Pacific shrimps of the genus <i>Trachy- penaeus</i> (Decapoda, Penaeidae), with the de- scription of a new species" | 635 | QUAST, JAY C., " <i>Sebastes variegatus</i> sp. n. from the northeastern Pacific Ocean (Pisces, Scorpaenidae)" | 387 |
| PERKINS, HERBERT C., "Egg loss during incubation from offshore Northern lobsters (Decapoda: Homaridae)" | 451 | "Random variability and parameter estimation for the generalized production model," by Wil- liam W. Fox, Jr. | 569 |
| Peru plankton populations and upwelling | 859 | Random variability and parameter estimation for the generalized production model | 569 |
| <i>Phanerodon atripes</i> —see Sharpnose seaperch | | RATHJEN, WARREN F.—see CALDWELL et al. | |
| <i>Physeter catodon</i> —see Sperm whale | | | |
| Phytoplankton and upwelling off coast of Peru | 859 | | |
| estimating production of, from ammonium and chlorophyll concentrations | 87 | | |
| production in natural and altered areas | 829 | | |
| Pig tissues effect of dietary fish oil on fatty acid com- position and palatability of | 281 | | |
| Pink salmon low-temperature threshold for eggs | 587 | | |
| predation on juveniles by marine isopod | 699 | | |

| | | | |
|---|-----|--|--|
| Red hake | | | |
| chemical and nutritional characteristics of | | | |
| fish protein concentrate from | 141 | | |
| effect of ice storage on chemical and nutritive | | | |
| properties of solvent-extracted whole fish | 145 | | |
| Red salmon | | | |
| in Kvichak River, Alaska | 531 | | |
| Red Sea, sharks | 615 | | |
| "(The) relation between exercise and biochemical | | | |
| changes in red and white muscle and liver | | | |
| in the jack mackerel, <i>Trachurus symmetricus</i> ," | | | |
| by Austin W. Pritchard, John R. Hunter, and | | | |
| Reuben Lasker | 379 | | |
| "(The) relative importance of nannoplankton | | | |
| and netplankton as primary producers in the | | | |
| California Current system," by Thomas C. Malone | 799 | | |
| "(The) relative sampling performance of 6- and | | | |
| 10-foot Isaacs-Kidd midwater trawls," by Wil- | | | |
| liam A. Friedl | 427 | | |
| "Respiratory, behavioral, and endocrine respon- | | | |
| ses of a teleost to a restricted environment," | | | |
| by Martin Sage | 879 | | |
| RICHARDS, WILLIAM J., and DAVID C. | | | |
| SIMMONS, "Distribution of tuna larvae | | | |
| (Pisces, Scombridae) in the northwestern Gulf | | | |
| of Guinea and off Sierra Leone" | 555 | | |
| Risso's dolphin | | | |
| from St. Vincent Island | 305 | | |
| RITSKES, T. M., "Artificial ripening of maat- | | | |
| jes-cured herring with the aid of proteolytic | | | |
| enzyme preparations" | 647 | | |
| <i>Rocinela belliceps pugettensis</i> | | | |
| (marine isopod) predation on juvenile Pa- | | | |
| cific salmon | 699 | | |
| Rockfish | | | |
| preservation with use of carbon dioxide dis- | | | |
| solved in refrigerated brine | 433 | | |
| <i>Sebastes variegatus</i> , new species from north- | | | |
| eastern Pacific Ocean | 387 | | |
| Rockaway—see Vessels | | | |
| ROE, RICHARD B., ROBERT CUMMINS, | | | |
| JR., and HARVEY R. BULLIS, JR., "Calico | | | |
| scallop distribution, abundance, and yield off | | | |
| eastern Florida, 1967-68" | 399 | | |
| ROEDEL, PHILIP M., "In memoriam—Wil- | | | |
| bert McLeod Chapman and Milner Baily Schaefer" | 1 | | |
| ROSENTHAL, RICHARD J., "Trophic inter- | | | |
| action between the sea star <i>Pisaster giganteus</i> | | | |
| and the gastropod <i>Kelletia kelletii</i> " | 669 | | |
| ROTHSCHILD, BRIAN J., and JAMES W. | | | |
| BALSIGER, "A linear-programming solution | | | |
| to salmon management" | 117 | | |
| ROUBAL, WILLIAM T., "Nature of free | | | |
| radicals in freeze-dried fishery products and | | | |
| other lipid-protein systems" | 371 | | |
| Rough-toothed dolphin | | | |
| from St. Vincent Island | 304 | | |
| Royal red shrimp | | | |
| age classes | 322 | | |
| biology | 313 | | |
| habits | 317 | | |
| larval, postlarval, and juvenile stages | 318 | | |
| latitude and depth distributions | 319 | | |
| reproductive systems | 316 | | |
| size and age at recruitment | 323 | | |
| size at maturity | 320 | | |
| spawning | 321 | | |
| SAGE, MARTIN, "Respiratory, behavioral, | | | |
| and endocrine responses of a teleost to a re- | | | |
| stricted environment" | 879 | | |
| St. Vincent Island | | | |
| cetaceans from | 303 | | |
| Salinity | | | |
| sea-surface | | | |
| Koko Head, Oahu | 181 | | |
| effect on young Atlantic menhaden | 786 | | |
| <i>Salmo gairdneri</i> —see Steelhead trout | | | |
| Salmon—see Chinook salmon; Chum salmon; | | | |
| Coho salmon; Pink salmon; Red salmon; | | | |
| Sockeye salmon | | | |
| Salmon management | | | |
| linear-programming solution to | 117 | | |
| Scombridae—see Fish larvae | | | |
| Scopelarchidae—see Fish larvae | | | |
| Scopelosauridae—see Fish larvae | | | |
| Scorpaenidae | | | |
| <i>Sebastes variegatus</i> , sp. n. | 387 | | |
| Sea star—see <i>Pisaster giganteus</i> | | | |
| " <i>Sebastes variegatus</i> , sp. n. from the north- | | | |
| eastern Pacific Ocean (Pisces, Scorpaenidae)," | | | |
| by Jay C. Quast | 387 | | |
| <i>Sebastes variegatus</i> , sp. n. | 387 | | |
| SECKEL, GUNTER R., and MARIAN Y. Y. | | | |
| YONG, "Harmonic functions for sea-surface | | | |
| temperatures and salinities, Koko Head, Oahu, | | | |
| 1956-69, and sea-surface temperatures, Christ- | | | |
| mas Island, 1954-69" | 181 | | |

| | | | |
|---|-----|--|--|
| Señorita | | | |
| cleaning activity | 497 | | |
| general ecology | 494 | | |
| “Sex pheromone activity of the molting hormone, crustecdysone, on male crabs (<i>Pachygrapsus crassipes</i> , <i>Cancer antennarius</i> , and <i>C. anthonyi</i>),” by James S. Kittredge, Michelle Terry, and Francis T. Takahashi | 337 | | |
| Shark | | | |
| <i>Isistius brasiliensis</i> , probable cause of crater wounds on fishes and cetaceans | 791 | | |
| new genus, <i>Iago</i> carcharhinid | 615 | | |
| Sharpnose seaperch | | | |
| cleaning activity | 511 | | |
| general ecology | 495 | | |
| Short-finned pilot whale or blackfish | | | |
| from St. Vincent Island | 308 | | |
| Shrimp—see Brown shrimp; Royal red shrimp | | | |
| Shrimp | | | |
| equipment for holding and releasing penaeid, during marking experiments | 247 | | |
| key to American Pacific, of genus <i>Trachypenaeus</i> | 635 | | |
| SIDWELL, V. D.—see DUBROW et al. | | | |
| Sierra Leone | | | |
| tuna larvae off | 555 | | |
| SIMMONS, DAVID C.—see RICHARDS and SIMMONS | | | |
| SINDERMANN, CARL L., “Internal defenses of Crustacea: a review” | 455 | | |
| Size | | | |
| in relation to swimming speed in jack mackerel and other fishes | 253 | | |
| in relation to tail beat amplitude in jack mackerel and other fishes | 253 | | |
| in relation to tail beat frequency in jack mackerel and other fishes | 253 | | |
| “Size structure and growth rate of <i>Euphausia pacifica</i> off the Oregon coast,” by Michael C. Smiles, Jr., and William G. Pearcy | 79 | | |
| Skipjack tuna | | | |
| Atlantic | | | |
| larvae in northwestern Gulf of Guinea and off Sierra Leone | 564 | | |
| Pacific | | | |
| age and growth | 549 | | |
| distribution and abundance | 545 | | |
| early life history | 545 | | |
| time of spawning | 552 | | |
| SMILES, MICHAEL C., JR., and WILLIAM G. PEARCY, “Size structure and growth rate of <i>Euphausia pacifica</i> off the Oregon coast” | 79 | | |
| SMITH, PRESTON, JR.—see KIFER et al. | | | |
| Sockeye salmon | | | |
| escapement levels and productivity of Nushagak run from 1908 to 1966 | 747 | | |
| Sole, lined—see Lined sole | | | |
| South America | | | |
| shrimps from | 635 | | |
| South Carolina | | | |
| menhaden fishery | 765 | | |
| South Pacific | | | |
| distribution, apparent abundance, and length composition of juvenile albacore | 821 | | |
| early life history of skipjack tuna in | 545 | | |
| Species, new | | | |
| <i>Sebastes variegatus</i> (Pisces: Scorpaenidae) .. | 387 | | |
| <i>Trachypenaeus fuscina</i> (Decapoda: Penaeidae) .. | 635 | | |
| Sperm whale | | | |
| from St. Vincent Island | 310 | | |
| SPINELLI, JOHN—see KOURY et al. | | | |
| Spotted or bridled dolphin | | | |
| from St. Vincent Island | 305 | | |
| SPRINGER, STEWART—see COMPAGNO and SPRINGER | | | |
| STANSBY, MAURICE E.—see JELLINEK and STANSBY | | | |
| Steelhead trout | | | |
| thermal tolerance of juveniles in relation to supersaturation of nitrogen gas | 833 | | |
| <i>Stenella</i> —see long-snouted or spinner dolphin; spotted or bridled dolphin | | | |
| <i>Steno bredanensis</i> —see Rough-toothed dolphin | | | |
| Sternoptychidae—see Fish larvae | | | |
| STEVENSON, MERRITT R.—see BEERS et al. | | | |
| STILLINGS, BRUCE R.—see DUBROW and STILLINGS | | | |
| Stomach contents | | | |
| juvenile albacore found in billfishes, South Pacific | 821 | | |
| juvenile skipjack tuna found in billfishes of Pacific | 545 | | |
| Stomiatoidei—see Fish larvae | | | |
| “Studies on the use of carbon dioxide dissolved in refrigerated brine for the preservation of whole fish,” by Harold J. Barnett, Richard W. Nelson, Patrick J. Hunter, Steven Bauer, and Herman Groninger | 433 | | |

| | |
|--|-----|
| SULLIVAN, JOHN R.—see CALDWELL, D. et al. | |
| “Sustained speed of jack mackerel, <i>Trachurus symmetricus</i> ,” by John R. Hunter | 267 |
| “Swimming speed, tail beat frequency, tail beat amplitude, and size in jack mackerel, <i>Trachurus symmetricus</i> , and other fishes,” by John R. Hunter and James R. Zweifel | 253 |
| Swimming speed | |
| and size in jack mackerel and other fishes | 253 |
| sustained, of jack mackerel | 267 |
| Synodontidae—see Fish larvae | |
| Tail beat amplitude | |
| and size in jack mackerel and other fishes | 253 |
| Tail beat frequency | |
| and size in jack mackerel and other fishes ... | 253 |
| TAKAHASHI, FRANCIS T.—see KITTREDGE et al. | |
| Target strength | |
| of fishes: a review of measurements | 703 |
| Temperature | |
| effect on distribution of young Atlantic menhaden | 787 |
| effect on uptake of DDT by euphausiid | 629 |
| low, threshold for pink salmon eggs | 587 |
| sea-surface | |
| anomalies in North Pacific | 345 |
| Koko Head, Oahu, 1956-69 | 181 |
| Christmas Island, 1954-69 | 181 |
| TERRY, MICHELLE—see KITTREDGE et al. | |
| Tetragonuridae—see Fish larvae | |
| Texas | |
| phytoplankton production, West Bay | 829 |
| <i>Thalassia testudinum</i> —see Turtle grass | |
| THEILACKER, GAIL H.—see CLUTTER and THEILACKER | |
| “Thermal tolerance of juvenile Pacific salmon and steelhead trout in relation to supersaturation of nitrogen gas,” by Wesley J. Ebel, Earl M. Dawley, and Bruce H. Monk | 833 |
| THOMAS, WILLIAM H., and ROBERT W. OWEN, JR., “Estimating phytoplankton production from ammonium and chlorophyll concentrations in nutrient-poor water of the eastern tropical Pacific Ocean” | 87 |
| THOMPSON, PAUL O.—see CUMMINGS and THOMPSON | |
| <i>Thunnus alalunga</i> —see Albacore | |
| <i>T. thynnus</i> —see Bluefin tuna | |
| Tide | |
| effect on distribution of young Atlantic menhaden | 788 |
| TOPP, ROBERT W., and FRANK H. HOFF, “An adult bluefin tuna, <i>Thunnus thynnus</i> , from a Florida west coast urban waterway” | 251 |
| <i>Trachurus symmetricus</i> —see Jack mackerel | |
| <i>Trachypenaeus</i> | |
| key to American Pacific | 635 |
| <i>T. fuscina</i> | |
| new species, description | 635 |
| “(The) transplanting and survival of turtle grass, <i>Thalassia testudinum</i> , in Boca Ciega Bay, Florida,” by John A. Kelly, Jr., Charles M. Fuss, Jr., and John R. Hall | 273 |
| TRENT, LEE—see CORLISS and TRENT | |
| Trichiuridae—see Fish larvae | |
| “Trophic interaction between the sea star <i>Pisaster giganteus</i> and the gastropod <i>Kelletia kelletii</i> ,” by Richard J. Rosenthal | 669 |
| Tuna—see Albacore; Bigeye tuna; Bluefin tuna; Frigate mackerel; Little tunny; Skipjack tuna; Yellowfin tuna | |
| gill raker apparatus and food selectivity | 361 |
| larvae in northwestern Gulf of Guinea and off Sierra Leone | 555 |
| Turbidity | |
| effect on distribution of young Atlantic menhaden | 786 |
| <i>Tursiops truncatus</i> —see Bottlenosed dolphin | |
| Turtle grass | |
| transplanting and survival in Boca Ciega Bay, Florida | 273 |
| Underwater sounds | |
| of killer whales, Kvichak River, Alaska | 531 |
| of killer whales, Point Loma, California | 525 |
| “Uptake, assimilation, and loss of DDT residues by <i>Euphausia pacifica</i> , a euphausiid shrimp,” by James L. Cox | 627 |
| Upwelling | |
| and plankton populations off coast of Peru, June 1969 | 859 |
| <i>Urophycis chuss</i> —see Red hake | |
| VANIA, JOHN S.—see FISH and VANIA | |

| | | | |
|---|----------|---|-----|
| "Variability of near-surface zooplankton off southern California, as shown by towed-pump sampling," by Charles P. O'Connell | 681 | Atlantic menhaden, <i>Brevoortia tyrannus</i> , in the White Oak River estuary, North Carolina | 783 |
| Vessels | | Woods Hole | |
| <i>Alaminos</i> | 3 | mysids in NMFS collection at | 717 |
| <i>Argo</i> | 3 | Wounds, crater | |
| <i>John N. Cobb</i> | 581 | squaloid shark probable cause of | 791 |
| <i>Discoverer</i> | 877 | Yellowfin tuna | |
| <i>Geronimo</i> | 555 | eastern tropical Pacific fishery used to illustrate random variability and parameter estimation for the generalized production model ... | 569 |
| <i>David Starr Jordan</i> | 3, 581 | larvae in northwestern Gulf of Guinea and off Sierra Leone | 560 |
| <i>George B. Kelez</i> | 596, 881 | YONG, MARIAN Y. Y.—see SECKEL and YONG | |
| <i>Murre II</i> | 387 | YOSHIDA, HOWARD O., "Distribution, apparent abundance, and length composition of juvenile albacore, <i>Thunnus alalunga</i> , in the south Pacific Ocean" | 821 |
| <i>Paragon</i> | 596 | ———, "The early life history of skipjack tuna, <i>Katsuwonus pelamis</i> , in the Pacific Ocean" | 545 |
| <i>Rockaway</i> | 3 | YOUNG, EDGAR P.—see KIFER et al. | |
| Virginia | | <i>Ziphius cavirostris</i> —see Goose-beaked whale or Cuvier's beaked whale | |
| menhaden fishery | 765 | Zooplankton | |
| West Bay, Texas | 829 | and upwelling off coast of Peru | 859 |
| Whelk—see <i>Kelletia kelletii</i> | | daylight and night hauls compared | 7 |
| White Oak River estuary, North Carolina | 783 | variability of near-surface off southern California as shown by towed-pump sampling | 681 |
| White whale | | ZWEIFEL, JAMES R.—see HUNTER and ZWEIFEL | |
| repelled by underwater sounds of killer whales . | 531 | | |
| WIEG, DAVE—see KOURY et al. | | | |
| WIGLEY, ROLAND L., and BRUCE R. BURNS, "Distribution and biology of mysids (Crustacea, Mysidacea) from the Atlantic coast of the United States in the NMFS Woods Hole collection" | 717 | | |
| WILKENS, E. PETER H., and ROBERT M. LEWIS, "Abundance and distribution of young | | | |